



HONDA
The Power of Dreams

सब का सपना



Honda is **HONDA**



XBLADE



**LOOK
BEYOND**

BEYOND THE USUAL. BEYOND THE GIMMICKS AND STUNTS.
BEYOND THE GAMES. IS A LOOK THAT DARES THE REGULAR.
THAT CHALLENGES THE STATUS QUO. THAT DEFIES THE ORDINARY.
A LOOK THAT THE REST LOOK UP TO.



SPORTY UNDER COWL
Electrify the streets with your magnetic presence.

POWERFUL 160cc HET ENGINE
Best in class torque which translates into 0-100m* in 7.7 secs. The performance of X Blade goes beyond the ordinary. Brace yourself.

MONOSHOCK SUSPENSION
Resilient and ready to take on the toughest challenges with superior handling and right control.

DUAL OUTLET MUFFLER
For that enhanced sporty look, that goes beyond the regular.

130mm WIDE REAR TYRE
Command the road with a tough, bold presence.

PGM-FI FUEL INJECTION
PGM-FI
An intelligent PGM-FI system whose 8 sensors constantly inject optimum fuel and air mixture resulting in efficient combustion that aid in consistent power output and lower emissions.

LONG SEAT

Comfortable seating that leaves you energised, ready to take on anything, even after long rides.

STREET-TECH DIGITAL METER

Boldly set out in confidence, with an innovative display that shares all the relevant information like service due indicator and gear position indicator.

DUAL PETAL DISC BRAKES WITH ABS

276mm front and 220mm rear disc brakes with Anti-Lock Braking System (ABS) that give superior control and heightened steering ability, even when braking hard.

LOW MAINTENANCE SEAL CHAIN

Low maintenance and longer life.

ENGINE STOP SWITCH

Turn off the engine more conveniently with a flick of the switch.

HAZARD SWITCH

Announce your presence especially in low visibility conditions.

SUPERIOR





ROBO-FACE LED HEADLAMP
Aggressive illumination that confidently shines the way.



GROOVY GRAB RAIL
Attention-grabbing stylish comfort for pillion riders.



STYLISH RIM STRIPES
For more head-turning moments as you ride in style.



AGGRESSIVE-SCULPTED TANK DESIGN
Macho presence that makes others look twice.

RAZOR EDGED LED TAIL LAMP
Make a bold statement, even when you leave.

TECHNICAL SPECIFICATIONS⁺

BODY DIMENSIONS

Length	2013 mm
Width	786 mm
Height	1115 mm
Wheel Base	1347 mm
Ground Clearance	160 mm
Kerb Weight	Single Disc - 143 Kg, Double Disc - 144 Kg
Seat Length	582 mm
Seat Height	795 mm
Fuel Tank Capacity	12 L

ENGINE

Type	4 Stroke, SI, BS-VI Engine
Displacement	162.71 cc
Max Engine Output	10.2 kW @ 8000 rpm
Max Torque	14.7 N-m @ 5500 rpm
Fuel System	PGM-FI
Bore x Stroke	57.300 x 63.096 mm
Compression Ratio	10.0:1
Starting Method	Self/Kick

TRANSMISSION

Clutch Type	Multiplate Wet Clutch
No. of Gears	5 Gears

TYRES & BRAKES

Tyre Size & Type (Front)	80/100-17 M/C 46P (Tubeless)
Tyre Size & Type (Rear)	130/70-17 M/C 62P (Tubeless)
Brake Type & Size (Front)	Disc - 276 mm (Single Channel ABS)
Brake Type & Size (Rear)	Drum - 130 mm, Disc - 220 mm

FRAME & SUSPENSION

Frame Type	Diamond Type
Front Suspension	Telescopic
Rear Suspension	Hydraulic, Monoshock

ELECTRICALS

Battery	12V, 4.0 Ah
Headlamp	LED



AVAILABLE COLOURS



PEARL SPARTAN RED



MATTE MARMALADE ORANGE METALLIC



PEARL IGNEOUS BLACK



MATTE MARVEL BLUE METALLIC



Other Honda Shield Products**
Annual Maintenance Contract
Road Side Assistance
Engine Health Assurance

Follow us on



⁺The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • New X Blade meets Bharat Stage VI norms • Product shown in the picture may vary from actual product available in the market • Accessories shown in the picture are not part of standard equipment • All features may not be part of all variants • *Figures as per internal testing • **Conditions apply.

HONDA
The Power of Dreams

Honda Motorcycle and Scooter India Pvt. Ltd.
Registered Office: Commercial Complex II, Sector - 49-50, Golf Course Extension Road, Gurugram - 122018 (Haryana), India
Visit us at: www.honda2wheelersindia.com Customer Care: customercare@honda2wheelersindia.com

Dealer Stamp